VEXO208

Compact 8” high performance 3-way loudspeaker

Highlights:

- DuraCoat™ texture paintwork
- Impact resistant, ball impact proof
- Optional 70/100V line transformer available
- High performance coaxial driver and secondary low frequency extension driver
- Consistent vertical and horizontal wide coverage pattern
- Full range sound reproduction with possibility for extension with bass cabinet
- Compact enclosure/ Minimum visual impact



VEXO208

Product information:

The VEXO208 is a high-output 3-way loudspeaker, providing a powerful and detailed signature sound of the VEXO family with a dual 8-inch driver in a compact cabinet.
The combination of the elegant enclosure and high performance allows them to be used in installation applications that require both a modern look and a unique audio experience from nightclubs to sports facilities. Compression driver overload protection is provided through an internal limiting circuit. Mounting in both horizontal and vertical directions is possible with the included wall bracket. An optional 70/100V transformer module can be installed to use VEXO208 in Hi-Z systems.
What is new with the VEXO208I?
The VEXO208I brings enhanced mounting versatility and an 8-ohm version, ensuring improved compatibility for various applications.



Applications:

- Bars & Restaurants
- Clubs
- Sporting facilities
- Events
- Concert venues

We reserve the right to change specifications without notice, this is part of our policy to continually improve our products.

Properties:

Rotatable

Impedance:

Ω 4 Ohm Ω 8 Ohm

Usage:

Indoor

System specifications:

Speaker type			3-way
Peak power handling			1600 W
Program power handling			800 W
Continuous power (AES)			400 W
Sensitivity (1W/1m)			94 dB
Sound Pressure (Max. W/1m)			121 dB
Frequency	Response (± 3 dB)		62 Hz - 20 kHz
	Range (-10 dB)		46 Hz - 20 kHz
Drivers	HF		Compression driver with 1.4" VC and 1" throat
	LF		1 x 8" Coaxial LF with 2” voice coil, 1x8” LF with 1.8” voice coil
Impedance			4 Ω (VEXO208)
			8 Ω (VEXO208I)
Connectors			2 x Speakon compatible (Linkthrough)
Coverage	Avg 1 kHz – 4 kHz | -6 dB | 1/3 oct	Horizontal	96°
		Vertical	100°
	Rotatable Horn		No

We reserve the right to change specifications without notice, this is part of our policy to continually improve our products.

Product Features:

Dimensions		715 x 258.5 x 285 mm (W x H x D) (Without mounting bracket)
		741 x 258.5 x 337.5 mm (W x H x D) (With mounting bracket)
Weight		17 kg
Construction		15 mm Multiply plywood
Finish	Cabinet finish	Multi-Layer polyurea coating (4-layer)
	Front finish	Powder coated steel grill with acoustical foam
Mounting	Mounting pattern	127 x 70 x M8 mount
Powerdrive mount		Powerdrive type 100 (127 x 70 mm)
Mounting & handling	Rigging points	2 x M6 & 2 x M10
Accessories	Included	Mounting bracket
		Drop safety wire
	Optional	70V/100V transformer module


Variants:

- VEXO208/B - Black version - 4 Ω
- VEXO208/W - White version - 4 Ω
- VEXO208I/B - Black improved version - 8 Ω
- VEXO208I/W - White improved version - 8 Ω


We reserve the right to change specifications without notice, this is part of our policy to continually improve our products.

Acoustical data graphs:


Horizontal Polars:




Vertical Polars:




Sensitivity:



Beamwidth (-3dB):




Directivity index:





We reserve the right to change specifications without notice, this is part of our policy to continually improve our products.


Technical drawings:





We reserve the right to change specifications without notice, this is part of our policy to continually improve our products.











AUDAC

VEXO208

Product description
COMPACT HIGH PERFORMANCE LOUDSPEAKER - 8"/3WAY - 400W RMS/800W PROG - INCL BRACKET

MM [INCH]	Scale	Outer dimensions (w x h x d)	Unit height	Weight
	1 : 8	731 x 258,5 x 337,5 mm 28,78 x 10,177 x 13,287 "	/	20,92 kg 46,12 lbs

AUDAC - VEXO208 - 09/11/2026 11:33 UTC
We reserve the right to change specifications without notice, this is part of our policy to continually improve our products.